Can bulimia be treated?

Yes, bulimia can be treated. When caught and treated early, people with bulimia can lead a full, productive and normal life. Bulimia may be treated in a special hospital and/or at home. People with bulimia need support from others, including parents, doctors, counselors, friends and sisters and brothers to eat normally.





F.E.A.S.T.

Families Empowered and Supporting
Treatment of Eating Disorders
www.FEAST-ED.org

My Sister or Brother has Bulimia

Questions and Answers for Siblings





What is bulimia?

Bulimia is a serious, life and health threatening eating disorder that affects parts of the brain that control fear and how the body re-



sponds to attempts to lose weight. People with bulimia are afraid to gain

weight.

What are the symptoms?

- Eating a lot more than normal
- Feeling out of control when eating
- Being very afraid of gaining weight
- Vomiting, using laxatives, exercising too much or doing other things to get rid of calories

Who has bulimia?

About 3 in 100
people have
bulimia. Bulimia usually
starts around
age 14, although younger children and adults can have it
too. Bulimia occurs in all
races, countries and across

income levels.

What causes bulimia?

Current research tells us that bulimia may be inherited and run in families. While a



person may have the genes to develop bulimia, usually, stress, dieting,

illness or infection trigger the symptoms or make them worse.

What parts of the body are affected?

Bulimia affects every organ and system in the body, including the brain, heart, kid-



neys, bones, skin, hair and intestines. The effects of bulimia on the

brain can be long term.

Isn't bulimia about control?

Bulimia is not a control issue. People with bulimia lose control and can't stop binging and purging even if they want to. People with bulimia also may have anxiety or depression.